•		Application No.	Applicant(s)
2		09/842,138	HARIU, TAKEO
ر,	Notice of Allowability	Examiner	Art Unit
		Phuoc H. Nguyen	2143
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>an amendment filed on November 26, 2004</u> .			
2. The allowed claim(s) is/are <u>1 and 4-9</u> .			
3. The drawings filed on 26 April 2001 are accepted by the Examiner.			
4. ☑ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) ☑ All b) ☐ Some* c) ☐ None of the:  1. ☑ Certified copies of the priority documents have been received.  2. ☐ Certified copies of the priority documents have been received in Application No  3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.  6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.  (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached  1) ☐ hereto or 2) ☐ to Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).  7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL			
2. Notice 3. Inform Paper 4. Exami	of References Cited (PTO-892) of Draftperson's Patent Drawing Review (PTO-948) ation Disclosure Statements (PTO-1449 or PTO/SB/0 r No./Mail Date ner's Comment Regarding Requirement for Deposit gical Material	6. Interview Summar Paper No./Mail D 08), 7. Examiner's Amen	ete
		SII	DAVID WILBY PERVISORY PATENT EXAMINER

U.S. Patent and Trademark Office PTOL-37 (Rev. 1-04) TECHNOLOGY CENTER 2100

Application/Control Number: 09/842,138

Art Unit: 2143

## Examiner's Statement of Reasons for Allowance

- 1. This office action is in response to the amendment filed on November 26, 2004. Previous office action contained claims 1-9. Applicant cancelled claims 2 and 3, and amended claims 1, and 4-9. Amendment filed on November 26, 2004 have been entered and made of record.
- 2. Claims 1 and 4-9 are allowed
- 3. Claims include limitations that the prior art of record does not appear to teach or render obvious the claimed limitations as recited below.
- 4. The following is a statement of reasons for the indication of allowable subject matter:

Coss et al. U.S. Patent 6,434,619 teach a firewall is able to support multiple security policies and users by applying nay one of several distinct sets of access rules for a given packet. The particular rule set is applied for any packet can be determined based on information of the incoming and outgoing network interfaces as well as network source and destination address; however, the prior art of record fails to teach or suggest individually or in combination as stated in claims 1 "a function association selector configured to associated each interface to one of plurality of control function parts, and the function association selector including a function managing table, an identifier imparting part, a function selector, and an output interface selector configured to select a second interface corresponding to the identifier imparted to the packet via the function managing table, and configured to deliver the packet to the selected interface" and in combination with other limitations as set forth in the independent claims. Claims 4-9 are allowed due to dependent claims.

5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Application/Control Number: 09/842,138

Art Unit: 2143

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Phuoc H. Nguyen whose telephone number is 571-272-3919.

The examiner can normally be reached on Mon -Thu (7AM-4: 30PM) and off every other Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David A Wiley can be reached on 571-272-3923. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

March 23, 2005

DAVIZZANCEY
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100

Page 3